

Self-Propelled Telescopic Boom Lifts

660SJ

Brand Model	JLG 660SJ	Dimensional Data	
Power Source		Ground Clearance	0.29 m
Auxiliary Power	12 Volts DC	Machine Height	2.5 m
Capacity - Fuel Tank	31 gal. / 117.35 L	Machine Length	10.79 m
Engine Type - Diesel	Deutz D2.9L4 Tier 4 Final 48.8hp (36.4kw)	Machine Width	2.49 m
Engine Type - Dual Fuel	Ford MSG425-DF 84hp (62kw)	Platform Dimension A	0.91 m
Performance		Platform Dimension B	2.44 m
Axle Oscillation	0.2 m	Tailswing	1.22 m
Drive Speed - 4WD	6.12 km/h	Tire Size	355/55D625 Foam Filled Lug Tire
Gradeability - 4WD	45 %	Reach Specifications	
Platform Capacity - Restricted	340.19 kg	Horizontal Outreach	17.4 m
Platform Capacity - Unrestricted	249.48 kg	Platform Height	20.02 m
Swing	360 Degrees	General	
Turning Radius - Outside (2WS)	5.36 m	Capacity - Hydraulic Reservoir	128.70 L
Turning Radius - Outside (4WS)	2.9 m	Machine Weight	13281.64 kg
		Maximum Ground Bearing Pressure	6.02 Kg/cm2

